

**Model: XC960PIR-IP**  
**Professional HD IP 960H Covert PIR Alarm**  
**Sensor Camera - PoE**



The best selling Xvision XC960PIR features invisible IR night vision as standard, allowing it to see up to 10m in complete darkness, it is perfect for 24/7 covert surveillance.

It looks like a PIR Alarm Sensor, but is actually a high resolution IR night vision camera, ideal for hidden covert surveillance or where a camera would simply look out of place or ugly!

Offering crisp wide angle images and with audio as standard, the camera can be used indoors in all types of premises.

## Features

- High Quality camera designed to look like a PIR Alarm Sensor
- Sony 960H CCD Sensor
- Xvision 3.6mm HD Megapixel Auto Iris lens for 78° viewing angle
- Xvision X1K DSP
- 700TVL (960x576) resolution
- 0.01 lux low light sensitivity
- 5/10m Smart IR Night Vision
- Automatic Digital Noise Reduction
- Integrated microphone for high quality audio
- Designed for Wall mounting
- PoE compatible
- Supplied with 1m connecting cable and Xvision X100VS Video Server (compatible with Xvision PRO-HD Recorders)

### Technical Specifications

<b>Model Number</b>	XC960PIR-IP
<b>Style</b>	960H Covert Camera
<b>Weather Resistant</b>	No
<b>Vandal Resistant</b>	No
<b>Motorised Panning</b>	No
<b>Motorised Tilting</b>	No
<b>Digital Zoom</b>	No
<b>Audio</b>	Yes
<b>Mounting Type</b>	Wall, Ceiling
<b>Product Dimensions (WxHxD mm)</b>	60x103x60
<b>Product Weight</b>	0.87kg
<b>Shipping Dimensions (WxHxD mm)</b>	340x340x450
<b>Shipping Weight</b>	2.0kg
<b>Warranty</b>	1 Year Warranty (extendable to 3 Years)
<b>Camera</b>	
<b>Image Sensor Type</b>	Sony 1/3" Super HAD CCD
<b>Image Sensor Resolution</b>	960H
<b>Minimum Illumination</b>	0.1 Lux
<b>Night Vision</b>	10m IR Night Vision
<b>Other Features</b>	Automatic Gain Control Automatic Electronic Iris DNR (Digital Noise Reduction)
<b>Lens</b>	3.6mm
<b>Viewing Angle</b>	78°
<b>Performance</b>	
<b>Video Compression</b>	H264
<b>Video Streams</b>	16Kbps-8000Kbp
<b>Stream Types</b>	Complex Stream/Video Stream
<b>Video Resolution &amp; Frame Rates</b>	704x576 25fps
<b>Networking</b>	
<b>Network Connection</b>	RJ45 Socket (10/100 BASE-T)
<b>Wi-Fi Support</b>	N/A
<b>Network Protocols Supported</b>	TCP, UDP, HTTP, SMTP, FTP, NTP, DNS, DDNS, DHCP, ARP, Bonjour, UPnP, RTSP, TRP, TRCP, PPPoE, 3GPP, ICMP, IGMP, SAMBA

Remote Access	
<b>Browser Support</b>	Internet Explorer, Safari, Firefox
<b>Mobile Phone Support</b>	Android, iPhone
<b>User Authentication</b>	Yes
<b>Simultaneous Viewers</b>	20
Power Requirements	
<b>Power over Ethernet</b>	No
<b>Operating Voltage</b>	12V DC
<b>Power Consumption</b>	<6W
Other Features	
<b>Easy Fit</b>	Yes (Optional Ethernet Over Mains Adapter)
<b>Motion Detection</b>	Yes
<b>Presets</b>	No
<b>Guard Tours</b>	No
<b>Email Alerts</b>	Yes
<b>On Board Recording</b>	Yes
<b>Alarms</b>	Yes
<b>Multi Camera Software</b>	Yes