

Model: XC960S30

Professional HD 960H 30x Zoom Speed Dome - Weatherproof



Camera - Front



Camera - Side

Ideal for high end applications where coverage of large areas is needed, this professional speed dome has a massive 30x Optical Zoom.

The best selling Speed Dome in the Xvision range just got an upgrade, the unit features a high quality, high speed, electronic motor for smooth and quick panning and tilting in seconds.

The combination of Sony CCD module and Xvision Auto Focus Zoom lens offer stunning image quality and great performance even in low light applications. For use in complete darkness the camera is IR sensitive, allowing it to be used with additional IR lamps.

Supplied ready for wall mounting, a variety of optional mounting brackets are available for Pole, Ceiling or Corner mounting the camera. The built in fan and heater allow the camera to be used inside or outside even in harsh weather conditions. It's easy to see why it is such outstanding value.

Features

- High Speed (up to 300° per second) Japanese Brushless Motor for fast, accurate and reliable Panning and Tilting
- Sony 960H CCD Sensor
- Xvision X2K DSP
- HD 960H (960x576) resolution
- 0.001 lux low light sensitivity
- Day/Night (IR sensitive)
- Xvision HD Megapixel Auto Iris 30x Zoom lens, for optimum selection of any viewing angle between 1 and 60°
- Digital Zoom
- Digital Image Stabilisation
- Advanced Wide Dynamic Range
- Automatic 3D Digital Noise Reduction
- 255 Presets
- 4 Programmable Tours
- 4 Programmable Patterns
- 8 Privacy Masking Zones
- Control from any Pelco D/P compatible DVR or Controller
- Vandal Resistant
- Cable Managed Bracket
- Designed for Wall or Ceiling mounting
- Suitable for use in Extreme Weather - IP66 housing with integrated heating and cooling for use in 35 to 60°C temperatures

Camera Specifications	
Model Number	XC960S30
Style	Professional Speed Dome Camera
Weather Resistant	Yes
Vandal Resistant	Yes
Mounting Type	Wall (Optional Brackets Available)
Dimensions (WxHxD) mm	210x350x210
Weight (kg)	4.0
Warranty	1 Year Warranty (extendable to 3 years)
Sensor Type	1/3" Sony Super HAD II CCD
DSP Type	Xvision X2K DSP
DSP Functions	Automatic Electronic Shutter Automatic White Balance Automatic Gain Control Backlight Compensation Wide Dynamic Range 3D DNR (Digital Noise Reduction) Privacy 255 Presets 4 Programmable Tours 4 Programmable Patterns
Resolution	960H
Minimum Illumination	0.001 Lux (0 Lux IR On)
Night Vision	Yes (Optional IR Lamp Required)
Lens Type	Auto Iris Auto Focus 30x Zoom
Lens Size	3.9 to 105.3mm
Viewing Angle	1 and 60°
Operating Voltage	12v 5000mA
Suggested Power Supply	Supplied
Video Output	BNC Socket
Audio Output	No
Power Input	DC Socket
RS485 Control	Yes