

**Model: XC960SA-IP**  
**Professional HD 960H Covert Smoke**  
**Alarm Camera - Audio**



Capture high quality covert video, with this smoke detector color hidden camera. The smoke detector hidden camera features a Sony Super HAD CCD 960H image sensor, 3.6 mm Lens giving 78° max field of view and delivering HD 960H high resolution video.

The camera comes with a built in microphone enabling it to capture audio as well as video making it a fully integrated device for a full hidden camera function suited for all covert applications.

The hidden camera is equipped with digital day/night to improve the camera's low light sensitivity at 0.01 lux therefore enabling the camera to work at very low light, and digital noise reduction to reduce video noise and produce a clear picture.

## Features

- Sony 960H CCD Sensor
- Xvision 3.7mm HD Megapixel Pinhole lens for 78° viewing angle
- Xvision X1K DSP
- 700TVL (960x576) resolution
- 0.01 lux low light sensitivity
- Automatic Digital Noise Reduction
- Integrated microphone for high quality audio
- PoE compatible
- Supplied with 1m connecting cable and Xvision X100VS Video Server (compatible with Xvision PRO-HD Recorders)

### Technical Specifications

<b>Model Number</b>	XC960SA-IP
<b>Style</b>	960H Covert Camera
<b>Weather Resistant</b>	No
<b>Vandal Resistant</b>	No
<b>Motorised Panning</b>	No
<b>Motorised Tilting</b>	No
<b>Digital Zoom</b>	No
<b>Audio</b>	Yes
<b>Mounting Type</b>	Ceiling
<b>Product Dimensions (WxHxD mm)</b>	120x54x120
<b>Product Weight</b>	0.25kg
<b>Shipping Dimensions (WxHxD mm)</b>	340x340x450
<b>Shipping Weight</b>	2.1kg
<b>Warranty</b>	1 Year Warranty (extendable to 3 Years)
<b>Camera</b>	
<b>Image Sensor Type</b>	Sony 1/3" Super HAD CCD
<b>Image Sensor Resolution</b>	960H
<b>Minimum Illumination</b>	0.1 Lux
<b>Night Vision</b>	No
<b>Other Features</b>	Automatic Gain Control Automatic Electronic Iris DNR (Digital Noise Reduction)
<b>Lens</b>	3.6mm
<b>Viewing Angle</b>	78°
<b>Performance</b>	
<b>Video Compression</b>	H264
<b>Video Streams</b>	16Kbps-8000Kbp
<b>Stream Types</b>	Complex Stream/Video Stream
<b>Video Resolution &amp; Frame Rates</b>	704x576 25fps
<b>Networking</b>	
<b>Network Connection</b>	RJ45 Socket (10/100 BASE-T)
<b>Wi-Fi Support</b>	N/A
<b>Network Protocols Supported</b>	TCP, UDP, HTTP, SMTP, FTP, NTP, DNS, DDNS, DHCP, ARP, Bonjour, UPnP, RTSP, TRP, TRCP, PPPoE, 3GPP, ICMP, IGMP, SAMBA

Remote Access	
<b>Browser Support</b>	Internet Explorer, Safari, Firefox
<b>Mobile Phone Support</b>	Android, iPhone
<b>User Authentication</b>	Yes
<b>Simultaneous Viewers</b>	20
Power Requirements	
<b>Power over Ethernet</b>	No
<b>Operating Voltage</b>	12V DC
<b>Power Consumption</b>	<6W
Other Features	
<b>Easy Fit</b>	Yes (Optional Ethernet Over Mains Adapter)
<b>Motion Detection</b>	Yes
<b>Presets</b>	No
<b>Guard Tours</b>	No
<b>Email Alerts</b>	Yes
<b>On Board Recording</b>	Yes
<b>Alarms</b>	Yes
<b>Multi Camera Software</b>	Yes