

Model: XC960SA

### Professional HD 960H Covert Smoke Alarm Camera - Audio



Camera - Front



Camera - Side

Capture high quality covert video, with this smoke detector color hidden camera. The smoke detector hidden camera features a Sony Super HAD CCD 960H image sensor, 3.6 mm Lens giving 78° max field of view and delivering HD 960H high resolution video.

The camera comes with a built in microphone enabling it to capture audio as well as video making it a fully integrated device for a full hidden camera function suited for all covert applications

The hidden camera is equipped with digital day/night to improve the camera's low light sensitivity at 0.01 lux therefore enabling the camera to work at very low light, and digital noise reduction to reduce video noise and produce a clear picture.

## Features

- Sony 960H CCD Sensor
- Xvision X1K DSP
- Hd 960H (960x576) Resolution
- 0.01 Lux Low Light Sensitivity
- Xvision 3.6mm HD megapixel auto iris lens for 78° viewing angle
- Automatic Digital Noise Reduction
- Integrated microphone for high quality audio
- Tamper Resistant
- Designed for wall or ceiling mounting

**Camera Specifications**

<b>Model Number</b>	XC960SA
<b>Style</b>	Covert Smoke Alarm Camera
<b>Weather Resistant</b>	No
<b>Vandal Resistant</b>	No
<b>Mounting Type</b>	Wall or Ceiling
<b>Dimensions (WxHxD) mm</b>	120x54x120
<b>Weight (kg)</b>	0.25
<b>Warranty</b>	1 Year Warranty (extendable to 3 years)
<b>Sensor Type</b>	1/3" Sony Super HAD CCD
<b>DSP Type</b>	Xvision X1K DSP
<b>DSP Functions</b>	Automatic Electronic Iris Automatic Gain Control Digital Noise Reduction
<b>Resolution</b>	960H
<b>Minimum Illumination</b>	0.1
<b>Night Vision</b>	No
<b>Lens Type</b>	Fixed
<b>Lens Size</b>	3.6mm
<b>Viewing Angle</b>	78°
<b>Operating Voltage</b>	12v DC 240mA
<b>Suggested Power Supply</b>	12v DC 300mA
<b>Video Output</b>	BNC Socket
<b>Audio Output</b>	Phono Socket
<b>Power Input</b>	DC Socket
<b>RS485 Control</b>	No